

“Blood Finder”
Online Blood Donation Management System



A Project presented to the National University in partial fulfillment of the requirement for the degree of Bachelor of Science (Hon's) in Computer Science & Engineering

Supervised By

Poly Bhoumik

Senior Lecturer (Department of Computer Science and Engineering)
Daffodil Institute of IT

Submitted By

Naziha Shamsuddin

Reg No: 17502005059

Session: 2017-18



Department of Computer Science & Engineering
Daffodil Institute of IT, Dhaka

Under National University, Bangladesh

DECLARATION

We pledge that the project work titled “Blood donation Management system” being submitted in partial fulfillment for the degree of B.Sc. (Hon’s) in Computer Science Engineering is the original work carried out by me. It has not formed part of any other project work submitted for any degree or diploma, either in this or any other University.

Naziha Shamsuddin

Reg No: 17502005059

Session: 2017-18

APPROVAL

The Project “Blood Donation Management system” is submitted to the Department of Computer Science Engineering, DIIT under National University of Bangladesh in absolute fulfillment of the requirements for the degree of Bachelor of Science (Hon’s) in Computer Science and Engineering and approved as to its style and content.

Examiner

Examiner

Poly Bhoumik
Project Supervisor
Senior Lecturer, Department of CSE,
DIIT

Md. Imran Hssain
Head of
Department CSE, DIIT

ACKNOWLEDGMENT

I would like to express my profound gratitude to Almighty. With the blessing of Almighty Allah, I have successfully planned my project.

My sincere thanks to **Prof. Dr. Mohammed Shakhawat Hossain**, Principal, DIIT who has allowed me to do this project and encouragement given to me. Also, thanks for his valuable guidance and support to meet the successful completion of my project.

I express my gratitude to **Poly Bhoumik**, Senior Lecturer & Supervisor, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

My heartiest thanks **Md. Imran Hossain**, Head, Department, of the CSE & Coordinator DIIT, Dhaka, for his patronage and for giving me an opportunity to undertake this Project.

I express my gratitude to **Saidur Rahman**, Senior Lecturer, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

I express my gratitude to **Safrun Nesa Saira**, Lecturer, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

I express my gratitude to **Nusrhat Jahan Sarkar**, Lecturer, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

I express my gratitude to **Mizanur Rahman**, Lecturer, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

I express my gratitude to **Md. Mushfiqur Rahman**, Lecturer, DIIT, Dhaka, for having provided us with the facilities to do the project successfully.

Last but not the least, I extend my sincere thanks to my family members and my friends for their constant support throughout this project

ABSTRACT

Blood Donation Management System (BDMS) is a browser-based system that is designed to store, process, retrieve and analyze information concerned with the administrative and inventory management within a blood bank. This project aims at maintaining all the information pertaining to blood donors, different blood groups available in each blood bank and helps them manage in a better way. Aim is to provide transparency in this field, make the process of obtaining blood from a blood bank hassle free and corruption free and make the system of blood bank management effective. Our client is not interested in blood stocking instead we are stocking blood donors' information. The donors who are interested in donating blood has to register in the database. There is no storage of blood so no complications in the project. The software is fully integrated with CRM (customer relationship management) as well as CMS (content management system) solution. It is developed in a manner that is easily manageable, time saving and relieving one from manual works. The requirement of the blood has to be requested and we supply the information of the donor. The donors can update their status whether they are available or not.

Table of Contents

Declaration	ii
Approval	iii
Acknowledgment	iv
Abstract	v
Table of Content	
Chapter 1 : Introduction	
	04
1.1 Project Introduction	05
1.2 Project Goal and Objective	07
1.3. Feature of the System	08
1.4. Scope of the Project	08
1.5 Proposed System	09
1.6 Limitation	
1.7 Advantages	
1.8 Why we Select This Project	
Chapter 2 :Background Analysis	
2.1. Background Study	11
2.2. Existing System	11
2.3. Proposed System	12
2.4. Feasibility Study	13
Chapter 3 : System Design	
	16
3.1 Agile Method	17
3.2 Advantage & Disadvantage	17
3.3 Method	18
3.4 Analysis	18
3.5 Requirements	19
3.6 Flow Chart	20
3.7 Work Flow Diagram	21
3.8 System Architecture	22
3.8 Methodology	23
3.9 Entity Relationship (E-R)	25
3.10 Activity Diagram	29
	30

3.11 Sequence Diagram	33
3.12 Data Flow Diagram	36
3.13 Use Case Diagram	
Chapter 4 : Source Code & Implementation	39
4.1 Source Code	45
4.2 Implementation	
Chapter 5 : Conclusion	49
5.1 Conclusion	50
5.2 Business Prospect	
Reference	51

List of Figures

Figure 1: Agile Method	16
Figure 2 : System Flow Diagram	18
Figure 3: Flow Chart Diagram	20
Figure 4: Work Flow Diagram	21
Figure 5: ER Diagram Diagram	27
Figure 6: Activity Diagram	29
Figure 7: Sequence Diagram	32
Figure 8: Data Flow Diagram L0, L1	34
Figure 9: Data Flow Diagram L0, L1	35
Figure 10: Use Case Diagram	37

CHAPTER 1
INTRODUCTION

1.1 Project Introduction

A blood donation is a process whereby a person voluntarily has blood drawn to be used for future transfusions when in need at hospitals for treatment procedures that require them. Donation may be of whole blood (blood drawn directly from the body) or of specific components of the blood; such as red blood cells, white blood cells, plasma, and platelets. Blood banks often participate in the process of collecting blood and other procedures such as managing stocks, approving blood requests and updating donation information. The inspiration of this project is to improve blood banks in Bangladesh and to develop a blood bank information system which focuses on making an online system that is accessible for both donors and administrators. Donors can directly receive information regarding their previous blood donations, including their blood results and donation history, in order to easily schedule their next donations. They can also update the personal information through the system, without having to contact the blood bank registry. The system is also developed for the administrators, who are the main authority in the system. Administrators can add, modify, delete, and query any donation information if necessary. The administrator is also responsible for responding to the hospital's blood requests and checking the stocks in the blood bank's inventory.

1.2 Project Goal and Objective

Goals and objectives are statements that describe what the project will accomplish. Objectives are lower-level statements that describe the specific, tangible products and deliverables that the project will deliver. Objectives are concrete statements describing what the project is trying to achieve. The objective should be written at a lower level, so that it can be evaluated at the conclusion of a project to see whether it was achieved or not. Goal statements are designed to be vague. Objectives should not be vague. A well-worded objective will be Specific, Measurable, Attainable/Achievable, Realistic and Time-bound. The Purpose of this system is if any critical or emergency situation it will be more useful to save the lives. Because in this system there is a one method called sending SMS to the registered donors. Using that function the system users or admin can send a SMS just clicking one button. And have some other purpose for using this system. Nowadays hackers and intruders are very disturbance for any kind of system, such as Standalone or Web based Systems. So, this system is very securing rather than other systems.

And the earlier day's hospitals and blood camps were used paper base recording system. Even though today also they all using Paper recording system. What I'm trying to say is paper records are not secures, because any one can see the donors' personal details without authorized permission, if any natural disaster happened, I mean flood or something happened then we can't sure papers are safe in that place. And there are more and more disadvantages using paper records. If we are using Computerized or Database

record will be more secured. Anyone cannot see or update the records without authorized permission. It will be more useful, and the blood camp authorized people can handle these problems just simply. Because they all are the people really going to be used this system. Some main objectives of this project,

- To computerize all details regarding blood donor details & events details.
- To automate the process of sending mail selecting via district.
- To maintain records effectively.
- To manage current blood group of the donors and maintaining new events
- The project has information regarding the fresh blood donors, already registered blood donor details, events, creating new events details and sending SMS to already registered blood donors in the system.
- Creating New Admin and Users for the System, only from admin privilege.
- The valuable data can be kept as secure.
- Creating new events to display about when next blood camp?

1.3 Features of Our System

1. User Registration
2. Donor Profiles
3. Search and Match
4. Appointment Scheduling
5. Donation History
6. Blood Inventory Management
7. Notifications
8. Donor Eligibility Check
9. Emergency Requests
10. Feedback and Ratings
11. Privacy and Security
12. Admin Dashboard
13. Analytics and Reporting
14. Mobile Accessibility

1. User Registration and Login: Users can register themselves and create accounts within the system. They can then log in using their credentials to access the system's features.

2. Donor Registration and Management: The system allows individuals to register as blood donors. It collects and stores their personal information, blood type, medical history, and contact details. Donor management features enable tracking of donor activities, appointments, and notifications.

3. Blood Inventory Management: The system tracks the available blood units in the inventory. It manages the storage, labeling, and tracking of blood units. The features include recording details such as blood type, quantity, expiration dates, and testing information.

4. Blood Donation Scheduling and Reminders: Donors can schedule appointments for blood donations through the system. The system sends automated reminders to donors, ensuring a steady supply of blood and maintaining a donor database.

5. Blood Request and Allocation: Medical facilities or individuals can request blood units through the system. The system facilitates the matching of blood types and allocates the appropriate blood units based on availability and compatibility.

6. Blood Testing and Quality Control: The system enables tracking and management of blood testing processes, ensuring the safety and quality of donated blood. It records test results, tracks expiration dates, and triggers alerts for expired or unsuitable blood units.

7. Delivery and Logistics Management: The system coordinates the transportation and delivery of blood units from the blood bank to requesting medical facilities or individuals.

8. Reporting and Analytics: The system generates reports and analytics to provide insights into blood inventory, donor statistics, blood utilization, and other relevant metrics. These reports help in decision-making, resource allocation, and monitoring system performance.

9. Notifications and Alerts: The system sends notifications and alerts to donors, medical facilities, and administrators for various events such as appointment reminders, low inventory levels, test results, and system updates.

10. Administrator Dashboard and User Roles: The system provides an administrator dashboard with features for managing user accounts, permissions, and system settings. It supports different user roles, such as administrators, donors, and medical facility staff, with appropriate access levels and functionalities.

11. Security and Privacy: The system incorporates robust security measures to protect sensitive donor information, blood inventory data, and system transactions. It includes features like secure login, data encryption, access control, and regular backups.

1.4 Scope of the Project

Anyone who has ever done a project will have tales of how scope changes caused grief. Scope is bound to change, and this is to be expected. As the detail becomes clearer, more complications creep in. These are not foreseeable at the start and hopefully I build in a contingency for what we cannot see. The scope changes that usually cause problems are those where the perception of what was in and out of scope was different between various parties. The Scope of the project mean normally expecting the result of something. Scope is same like the motivation and objectives. But there some more special in this case. Scope is really expecting, as we take our system, we have to think why we are using

computerized system rather other paper base, and we have to think what purpose of that system. Why we need computerized system, actually today's world we can't maintain or manage the things without proper system or computer. Now computers are merge with our life. So, the computer-based systems are very popular, and that's very secure rather than paper base system. If we tell one example there were happened a flood disaster, and all the paper-based records can be Drench to the water. Then we cannot recover the important information. This kind of situation we can recover the information by using computerized system. Just remove the hard disk and recover the file easily and security is high, because using computerized system is not allow to use any peoples without their accounts or authorized permission. So, the paper base is not like that, anyone can see the information and they can do for that information whatever they want. As my project also a computerized system called Blood Donor Information System. This system can be used in the hospitals, blood donor camps, or any other important public places, and etc. Blood Donor Information System will be more use full for the important medical places, because if someone need blood immediately, the system will help to identify the blood donor, and it will be sending a SMS to that donor. So, it will be making a quick communication with donors. As I told earlier the purpose of this system is send SMS to the donors in the critical situation. My initial thought is that this scope statement completely lacks any of the SMART goal features. SMART stands for,

- Specific
- Measurable
- Agreed Upon
- Realistic
- Time Bound

1.5 Proposed System

The proposed Blood Donation System project aims to create an efficient and user-friendly online platform to streamline the blood donation process. This system will serve as a vital bridge between donors and recipients, offering a seamless experience for both parties. Donors will be able to register, schedule appointments, and track their donation history with ease. On the other hand, recipients can swiftly search for available donors in their vicinity and send requests for blood when urgently needed. The system will also incorporate features like donor eligibility checks, real-time blood inventory management, and automated notifications for critical blood requests. By leveraging technology to connect donors and recipients, this project seeks to make a substantial impact on improving blood donation rates, ensuring a stable blood supply, and ultimately saving

lives within our community.. The people in need of blood can search for the donors by giving their blood group and city name. It is very flexible and user friendly. The person's time and work is reduced very much which prevails in the present system. Easy and Helpful. The people are not limited to receive or provide services in working hours of the branch only; he is serviced 24 hours a day, 7 days of week and 365 days of the year.

1.6 Limitation

- This project is not available to those who doesn't use Internet and Mobile or Computer
- In this project the contact person's details are given for the limited cities only.

1.7 Advantages

I provided in the application with various controls. The system makes the overall project management much easier and flexible. Readily upload the latest updates "allows user to download the alerts by clicking the URL. It provides high level of security with different level of authentication

- Users do not have to contact the hospital to know the results of their blood donation. They can view their results through the website by logging-in with their username and password.
- The reports and information are kept in electronic form and can be easily maintained by the administrators, and donors may access their donation records whenever they want to.
- The reports of donations are kept in electronic files so that they may last longer and have less chance of being lost or damaged.
- Administrators of the system can easily manage blood stock and blood withdrawals that have been requested by the hospitals.

1.8 Why we select this Project

We have chosen to undertake the "Blood Donation System - Blood Finder" project for several compelling reasons. Firstly, it addresses a critical need within our community and the healthcare sector at large. Blood shortages are a recurring problem, especially during emergencies and crises. By creating a dedicated platform, we can facilitate a more efficient and organized process for blood donation, ensuring a stable supply of this life-saving resource.

Secondly, the project aligns with our commitment to social responsibility and community welfare. Blood donation is a selfless act that directly contributes to saving lives, and by developing this system, we can encourage more individuals to become regular donors and promote a culture of giving back.

Furthermore, "Blood Finder" leverages technology to simplify the blood donation process for both donors and recipients. This modern approach allows for easier appointment scheduling, real-time inventory management, and quicker responses to urgent blood requests, making the entire system more accessible and effective.

In sum, we believe that the "Blood Donation System - Blood Finder" project represents an opportunity to make a tangible impact on our community's health and well-being while harnessing the power of technology to streamline and modernize blood donation practices.

CHAPTER 2

BACKGROUND

ANALYSIS

2.1 Background Study

The Blood Donor information system is fully computerized system it makes easy to manage the system by the administrator. And the beginning of this project is research. I mean researching new things and identify the fact and knowledge about that, focus on the following areas of study, Project Documentation or the Report will give the brief idea about the system which has been developed by the developers. In the project documentation contain many facts, such as software development life cycle and each stage, I mean explanation of each stage or phase and etc. And the beginning of this project is research. I mean researching new things and identify the fact and knowledge about that, focus on the following areas of study, Project Documentation or the Report will give the brief idea about the system which has been developed by the developers. In the project documentation contain many facts, such as software development life cycle and each stage, I mean explanation of each stage or phase and etc.

2.2 Existing System

The existing blood bank management system primarily relies on manual processes and offline record-keeping, which can be time-consuming, error-prone, and inefficient. This section discusses the limitations and challenges of the existing system and highlights the need for an online blood bank management system. The existing system relies on manual record-keeping, which involves maintaining paper-based records of donor information, blood inventory, and transfusion records. This manual process is susceptible to errors, misplacement, and delays in retrieving information. With the existing system, accessing and updating donor information, blood inventory status, and transfusion records can be challenging. This limited accessibility hampers timely decision-making, impedes coordination among different blood banks, and affects the overall efficiency of the system. Inaccurate Inventory Tracking: The manual tracking of blood inventory can lead to inaccuracies, making it challenging to maintain an optimal level of blood units. This can result in wastage due to expired blood units and shortages during high demand periods.

The existing blood bank management system suffers from limitations related to manual processes, limited accessibility, inefficient donor management, inaccurate inventory tracking, lack of timely notifications, and limited reporting capabilities. These limitations highlight the need for an online blood bank management system that can automate processes, improve accessibility, enhance donor engagement, streamline inventory management, facilitate efficient communication and coordination, and provide advanced reporting and analytics capabilities. By addressing these challenges, an online system can significantly enhance

2.3 Proposed System

The proposed system is an online blood bank management system that aims to replace the existing manual and offline processes with a comprehensive, efficient, and user-friendly web-based solution. This section outlines the key features, functionalities, and benefits of the proposed system. Online registration for donors with the ability to provide necessary personal and medical information. Secure donor profiles to maintain donor records, including contact details, blood type, and donation history. Donor eligibility screening based on medical criteria to ensure safe blood donations. Real-time tracking of blood units in the inventory, including their types, quantities, and expiration dates. Automated alerts and notifications for inventory replenishment, expiration, and shortage management. Efficient matching and retrieval of compatible blood units based on donor and recipient compatibility. Automated reminders and notifications to donors regarding upcoming appointments and donation opportunities. Efficient management of donor appointments, ensuring smooth blood collection processes. Online submission of blood requests by medical facilities, with detailed information about the recipient and required blood type. Generation of comprehensive reports and analytics to gain insights into donor statistics, blood utilization patterns, and inventory management. Visual representation of data through charts and graphs for better decision-making. Exporting of reports in various formats (e.g., PDF, Excel) for sharing and further analysis. Different user roles with varying levels of access and privileges, such as administrators, donors, and medical staff. Role-based access control to ensure data privacy, security, and integrity. Customizable permissions and restrictions to manage user actions and data visibility. The proposed system automates manual processes, reducing errors and saving time. It streamlines donor registration, appointment scheduling, inventory management, and blood matching, improving overall operational efficiency. As an online platform, the system enables users to access and update information from anywhere, anytime. Donors, medical facilities, and administrators can conveniently interact with the system, enhancing coordination and responsiveness. The proposed system offers an intuitive and user-friendly interface for donors, encouraging their active participation. Online registration, appointment scheduling, and personalized notifications enhance donor engagement, leading to a steady supply of blood units. The system provides real-time visibility into the blood inventory, enabling efficient management and reducing wastage or shortages. Automated alerts and notifications ensure timely replenishment and utilization of blood units. Effective Communication and Coordination: The system facilitates seamless communication and coordination between blood banks, medical facilities, and donors. Timely notifications, updates, and request handling ensure effective collaboration and faster response times. The reporting and analytics capabilities of the system enable data-driven decision-making. Comprehensive reports and visual representations of data provide insights into donor patterns, blood utilization, and inventory management, supporting efficient

resource allocation and planning. The proposed online blood bank management system offers a comprehensive solution to replace the existing manual and offline processes. With features such as donor registration, blood inventory management, appointment scheduling, blood requests, and reporting, the system enhances efficiency, accessibility, and coordination.

2.4 Feasibility Study

The feasibility of an online blood bank management system refers to its practicality and viability in terms of technical, economic, operational, and schedule factors. Evaluating the feasibility of the system helps determine whether it is worth pursuing and if it can be successfully implemented. Here are some key aspects of feasibility for an online blood bank management system:

1. **Technical Feasibility:** This aspect assesses whether the necessary technology, infrastructure, and resources are available to develop and deploy the system. It includes considerations such as the availability of suitable software development tools, database management systems, hosting platforms, and integration capabilities with existing systems. Technical expertise and support for system development and maintenance are crucial factors in determining technical feasibility.

2. **Economic Feasibility:** Economic feasibility evaluates the financial viability of the system. It involves analyzing the costs and benefits associated with developing, implementing, and maintaining the online blood bank management system. The costs may include software development, hardware infrastructure, licensing, training, and ongoing maintenance expenses. The benefits can include improved operational efficiency, reduced paperwork, better inventory management, and enhanced donor and recipient satisfaction. Conducting a cost-benefit analysis helps determine if the system's benefits outweigh the associated costs.

3. **Operational Feasibility:** Operational feasibility assesses whether the online blood bank management system aligns with the organization's operations and can be smoothly integrated into existing workflows. It considers factors such as the readiness and willingness of staff to adopt and adapt to the system, potential resistance to change, and the impact on daily operations. Stakeholder engagement and proper change management strategies are essential to ensure operational feasibility.

4. **Schedule Feasibility:** Schedule feasibility determines whether the project can be completed within the desired timeline. It involves assessing the availability of resources, setting realistic milestones, and estimating the time required for each phase of the project, such as requirements gathering, development, testing, and deployment. A thorough project plan, effective task management, and regular progress tracking are essential for achieving schedule feasibility.

5. Legal and Regulatory Feasibility: Legal and regulatory compliance is a critical aspect of any blood bank management system. It is necessary to ensure that the system adheres to relevant laws, regulations, and standards related to data privacy, security, patient confidentiality, and blood safety. Compliance with regulations, such as the Health Insurance Portability and Accountability Act (HIPAA) or General Data Protection Regulation (GDPR), is essential for the system's feasibility.

6. User Acceptance: User acceptance is a significant factor in determining the feasibility of an online blood bank management system. It involves gathering feedback from potential users, such as blood donors, medical facilities, and administrators, regarding their needs, expectations, and satisfaction with the system. User acceptance testing and user involvement throughout the development process help ensure that the system meets their requirements and is user-friendly.

A comprehensive feasibility study should be conducted during the initial stages of the project to evaluate these factors and determine the overall feasibility of the online blood bank management system. It helps in making informed decisions and mitigating risks associated with the system's implementation and operation.[1]

CHAPTER 3

SYSTEM DESIGN

3.1 Agile Method


The Agile methodology represents a paradigm shift in project management and software development. Unlike traditional, linear approaches, Agile emphasizes adaptability, collaboration, and customer-centricity. It's characterized by iterative development cycles, known as "sprints," which allow for continuous refinement and improvement of a project's deliverables.

One of Agile's key strengths lies in its ability to accommodate changing requirements. As business landscapes evolve rapidly, Agile projects can pivot swiftly to meet new demands and market shifts. It fosters regular interactions between development teams and stakeholders, ensuring that the end product aligns closely with customer needs.

Moreover, Agile promotes a collaborative culture. Cross-functional teams work closely together, breaking down silos that can impede progress in traditional models. This collaboration not only enhances communication but also boosts creativity and problem-solving.

Transparency is another hallmark of Agile. Progress is visible through regular demonstrations of working software, and any roadblocks or challenges are identified and addressed promptly. This transparency enhances accountability and empowers teams to take ownership of their work.

In essence, the Agile methodology embodies a flexible, customer-focused, and collaborative approach to project management. Its principles and practices have found application far beyond software development, proving effective in various industries where adaptability and responsiveness are paramount to success.[2]



3.2 Advantage & Disadvantage of Agile Method

Advantage

The advantages of Agile are simplicity, adaptability, and customer focus. Agile simplifies complex projects by breaking them into manageable parts. It adapts well to changes, ensuring the project stays aligned with evolving requirements. Moreover, it keeps the customer at the center, leading to a product that better meets their needs and expectations.

Disadvantage

The main disadvantage of Agile is that it might not work well for all projects or teams. It requires a lot of communication and flexibility, which can be challenging in some situations. Also, it can be less predictable in terms of project timelines, making it harder to set fixed deadlines. Finally, it requires experience and training to use effectively, and new teams may struggle to implement it smoothly.


3.3 Method

This paper is aimed to develop online blood donation information. The entire work has been developed keeping in view of the distributed client server computing technology, in mind. The system is to create an e-Information about the donor and organization that are related to donating the blood. Through this application any person who is interested in donating blood can register himself as a donor. Moreover, if any general consumer wants to make request blood online, he can also take the help of this site. The work has been planned to be having the view of distributed architecture, with centralized storage of the database. The application for the storage of the data has been planned. Using the constructs of SQL Server, all the user interfaces have been designed using mysql technologies. The database connectivity is planned using the “SQL Connection” methodology . The standards of security and data protective mechanism have been given a big choice for proper usage. The application takes care of different modules and their associated reports, which are produced as per the applicable strategies and standards that are put forwarded by the administrative staff. The system has been developed keeping in view of the distributed client server computing technology, in mind. The specification has been normalized up to 3NF to eliminate all the anomalies that may arise due to the database transaction that are executed by the general users and the organizational administration . The user interfaces are browser specific to give distributed accessibility for the overall system. The internal database has been selected as SQL server 2008. The basic constructs of table spaces, clusters and indexes have been exploited to provide higher consistency and reliability for the data storage. The SQL server 2008 was a choice as it provides the constructs of high-level reliability and security. The total front end was dominated using the ASP.Net technologies. At all proper levels high care was taken to check that the system manages the data consistency with proper business rules or validations. The database connectivity was planned using the latest “SQL Connection” technology provided by Microsoft Corporation. The authentication and authorization

were crosschecked at all the relevant stages. The user level accessibility has been restricted into two zones namely.[3]

3.4 Analysis

In this system, users can search donors and make request for blood. Donors can login to their own profiles and update information. They can search donor, request for blood and send message to other donors. Admin can maintain system management tasks. The use case diagram and class diagram of the system are shown in the Figure 2 and Figure 3 respectively.




3.5 Requirements:

- 1. User Registration:** Allow users to sign up and create accounts easily.
- 2. Donor Information:** Collect basic donor details like name, contact info, and blood type.
- 3. Appointment Booking:** Let donors schedule donation appointments online.
- 4. Blood Inventory:** Keep track of available blood types and quantities.
- 5. Search for Donors:** Allow hospitals to search for available donors.
- 6. Notifications:** Send reminders on Mail.
- 7. Feedback:** Allow users to provide feedback on their experience.
- 8. Security:** Ensure user data is kept safe and private.
- 9. Support:** Offer user assistance and guidance.
- 10. Compliance:** Follow local blood donation regulations.

These simplified requirements cover the essential functions of a Blood Donation System, making it easier to understand and implement.

Flow Chart Diagram


This flowchart represents a simplified overview of the user interactions and functionalities of a Blood Donation System. In practice, the system might have more detailed processes and sub-processes depending on its specific requirements. You can use flowcharting software or tools to create a more detailed and visual representation tailored to your project's needs.[12]



miro

Work Flow Diagram

This workflow provides a simplified representation of how blood donation and inventory management processes could work within the Blood Donation System. In practice, the system's workflows may be more detailed and interconnected, depending on the specific requirements and processes of the organization managing the system. [12]



3.8 System Architecture

The software architecture model used in the online blood bank management system is the Model-View-Controller (MVC) pattern. MVC is a widely adopted architectural design pattern that separates the application's concerns into three distinct components: the Model, View, and Controller. Let's explore how each component of the MVC pattern is utilized in the online blood bank management system:

1. **Model:** The Model represents the underlying data and business logic of the system. In the online blood bank management system, the Model component is responsible for handling data-related operations such as storing and retrieving donor information, managing blood inventory records, and handling business rules and validations. It encapsulates the functionality and rules that govern the system's core operations.

For example, the Model component manages the database interactions using a framework like Laravel and establishes the necessary data structures, relationships, and constraints to ensure data integrity. It may also include classes or modules that define the business logic, such as donor registration, appointment scheduling, blood unit matching, and inventory management.

2. **View:** The View component handles the presentation layer of the system, responsible for displaying information to the users and receiving user inputs. In the online blood bank management system, the View component encompasses the user interface (UI) elements presented to the administrators, donors, and medical staff. It includes web pages, forms, and graphical components that allow users to interact with the system.

The View component is implemented using HTML, CSS, and JavaScript, combined with front-end frameworks such as Bootstrap or Vue.js. It fetches the necessary data from the Model component and presents it in a user-friendly and intuitive manner. For example, the View component may display donor registration forms, blood inventory lists, appointment scheduling interfaces, and reports.

3. **Controller:** The Controller acts as an intermediary between the Model and View components, facilitating the flow of data and controlling the system's behavior. It receives user inputs from the View, processes the requests, interacts with the Model to retrieve or update data, and determines the appropriate View to present to the user.

In the online blood bank management system, the Controller component handles user interactions and manages the system's logic and flow. It processes actions such as donor registration submissions, appointment scheduling requests, blood unit matching, and inventory updates. It also coordinates the communication between the View and Model components, ensuring data consistency and integrity.

The Controller component is implemented using server-side scripting languages like PHP in conjunction with a framework such as Laravel. It routes incoming requests, invokes the appropriate methods in the Model to handle data operations, and determines the appropriate View to render as a response.

Benefits of the MVC Architecture Model:

The use of the MVC architecture model in the online blood bank management system offers several benefits, including:

1. **Separation of Concerns:** MVC separates the concerns of data management, user interface, and system logic, allowing for easier maintenance, code reusability, and scalability.
2. **Modularity:** The clear separation between Model, View, and Controller components enables independent development and testing of each component, promoting code organization and maintainability.
3. **Flexibility:** MVC provides flexibility in UI design and allows for the easy modification of user interface elements without impacting the underlying data or system logic.
4. **Code Reusability:** By separating the concerns, components developed using the MVC pattern can be reused in other projects or scenarios with minimal modifications.
5. **Collaboration:** The MVC architecture promotes collaboration among developers, as they can work on different components simultaneously without stepping on each other's toes.

In conclusion, the adoption of the MVC architecture model in the online blood bank management system ensures a clear separation of concerns, enhances code organization, promotes code reusability, and allows for flexibility and scalability. It enables efficient development, testing, and maintenance of the system, contributing to its overall effectiveness and usability.[2]

3.9 Methodology

The Agile methodology is a flexible and iterative approach to software development that emphasizes collaboration, adaptability, and delivering value in short development cycles. It is well-suited for the project of developing an online blood bank management system. Here's an overview of how the Agile methodology can be applied to the project:

1. Iterative Development:

Agile promotes iterative development, breaking the project into smaller increments called sprints. Each sprint typically lasts for a few weeks and focuses on delivering a specific set of functionalities or features. For the online blood bank management system, each sprint could address key aspects such as donor registration, appointment scheduling, blood inventory management, and reporting.

2. User Involvement and Collaboration:

Agile methodology emphasizes frequent communication and collaboration between the development team and stakeholders, including blood bank administrators, medical staff, and donors. Regular meetings, such as daily stand-ups and sprint reviews, allow stakeholders to provide feedback, prioritize features, and ensure that the system meets their requirements effectively.

3. Continuous Feedback and Adaptation:

Agile encourages continuous feedback loops to gather input from stakeholders throughout the development process. This feedback helps refine and adjust the system's functionality and design, ensuring that it aligns with the stakeholders' evolving needs. Regular demos and user acceptance testing (UAT) sessions enable stakeholders to evaluate the system's progress and make necessary adjustments.

4. Prioritization and Incremental Delivery:

With Agile, the project team collaboratively prioritizes the system's features and functionalities based on their value and urgency. This allows for the delivery of the most critical and high-value components early in the development process, ensuring that stakeholders can start realizing benefits sooner. For example, the initial sprints could focus on basic donor registration and appointment scheduling, followed by blood inventory management, blood matching, and reporting in subsequent sprints.

5. Adaptive Planning:

Agile embraces change and acknowledges that requirements can evolve over time. The development team, along with stakeholders, can adapt the project's scope and priorities as new insights emerge or requirements change. This flexibility enables the system to evolve organically and ensures that it remains aligned with the needs of the blood bank management.

6. Continuous Integration and Testing:

Agile places importance on continuous integration and testing to identify and address issues early in the development cycle. Regular integration of code and automated testing

help maintain the system's stability, reliability, and quality. This ensures that the online blood bank management system performs as intended and meets the stakeholders' expectations.

7. Continuous Improvement:

Agile methodology promotes a culture of continuous improvement. Retrospectives, held at the end of each sprint, provide an opportunity for the development team to reflect on the sprint's successes and challenges and identify areas for improvement. The feedback gathered during retrospectives helps refine processes, enhance collaboration, and optimize the overall development approach.

By adopting the Agile methodology for the online blood bank management system, the development team can respond to changing requirements, deliver incremental value, foster collaboration with stakeholders, and ensure a high-quality system that meets the evolving needs of blood bank management.

3.9 Entity-Relationship (ER)

An Entity-Relationship (ER) diagram for an online blood bank management system represents the entities, relationships, and attributes involved in the system. It provides a visual representation of the database structure and helps in understanding the data model. Here is a brief description of the main components typically included in an ER diagram for an online blood bank management system:

1. **User Entity:** This entity represents the users of the system, such as donors, medical facilities, and administrators. It may include attributes like User_ID, Name, Email, and Contact Number.
2. **Donor Entity:** This entity represents the blood donors registered in the system. It may have attributes like Donor_ID, Name, Blood Type, Address, and Medical History.
3. **Blood Bank Entity:** This entity represents the blood bank or collection center. It may have attributes like BloodBank_ID, Name, Address, and Contact Number.
4. **Blood Unit Entity:** This entity represents the individual units of blood available in the inventory. It may include attributes like BloodUnit_ID, Blood Type, Expiry Date, and Donation Date.
5. **Request Entity:** This entity represents the blood requests made by medical facilities or individuals. It may include attributes like Request_ID, Request Date, Blood Type, Quantity, and Delivery Address.
6. **Relationship:** The ER diagram will depict relationships between entities. For example, there may be a "Donates" relationship between the Donor and Blood Unit entities,


indicating that a donor can donate multiple blood units. Similarly, there may be a "Manages" relationship between the User and Blood Bank entities, indicating that a user (administrator) manages a blood bank.

7. Cardinality and Constraints: The ER diagram may include cardinality and constraints to define the relationship between entities. For example, a donor can have a one-to-many relationship with blood units (one donor can donate multiple units), and a blood unit can have a many-to-one relationship with the blood bank (multiple units can belong to a single blood bank).

It's important to note that the specific entities, attributes, and relationships may vary depending on the requirements and scope of the online blood bank management system being designed. The ER diagram serves as a visual representation to model the data structure and relationships within the system, aiding in database design and implementation

ER Diagram

An Entity-Relationship (E-R) diagram is a visual representation used in database design and modeling to depict the entities (objects or concepts) in a system, their attributes, and the relationships between them. E-R diagrams help in designing the structure of a relational database by illustrating the logical organization of data. [12]



3.10 Activity Diagram

An activity diagram for an online blood bank management system represents the flow of activities and actions within the system. It focuses on the behavior and sequence of actions that occur during the operation of the system. Here is a brief description of the main components typically included in an activity diagram for an online blood bank management system:

1. **User Registration:** The activity diagram may start with the user registration process, where individuals provide their personal information, create login credentials, and register as users of the system.
2. **Blood Donor Registration:** **This activity represents the process of blood donor registration**, where donors provide their personal details, blood type, and any relevant medical history to be included in the system.
3. **Blood Inventory Management:** This activity encompasses various actions involved in managing the blood inventory. It includes activities such as blood donation collection, blood testing, labeling, and storage. The diagram may depict the flow of actions from blood collection to inventory update.
4. **Blood Request:** This activity represents the process of requesting blood from the online blood bank system. It includes actions like specifying the blood type, quantity, and delivery details.
5. **Blood Matching and Allocation:** This activity represents the system's actions to match the requested blood type with the available inventory and allocate the appropriate blood unit. It may include activities like searching the inventory, checking compatibility, and assigning a blood unit to the request.
6. **Blood Delivery:** This activity represents the process of arranging the transportation and delivery of the allocated blood unit to the requesting medical facility or individual. It includes activities like coordinating with logistics services, generating delivery orders, and updating the delivery status.
7. **Donor Management:** This activity represents the management of donor-related activities. It may include actions like sending notifications to donors, scheduling donation appointments, and updating donor information in the system.
8. **Reporting and Analytics:** This activity represents the generation of reports and analytics to track various metrics related to blood utilization, inventory levels, donor statistics, and system performance. It includes activities like data analysis, report generation, and visualization.

9. System Administration and Security: This activity represents actions related to system administration, user access management, and data security measures. It may include activities like user authentication, access control, and system maintenance.

It's important to note that the specific activities and actions may vary depending on the requirements and features of the online blood bank management system being implemented. The activity diagram provides a visual representation to understand the flow of activities and interactions within the system, facilitating the analysis, design, and implementation of the system's behavior. [12]

Activity Diagram




Fig: Activity Diagram

3.11 Sequence Diagram

A sequence diagram is a type of UML (Unified Modeling Language) diagram that visually represents the interactions and order of messages exchanged between objects or components in a system. It illustrates the flow of communication and the sequence of actions that occur during a particular scenario or use case. Here's a brief explanation of a sequence diagram:

Components of a Sequence Diagram:

- 1. Lifelines:** Lifelines represent the objects or components involved in the sequence diagram. Each lifeline is depicted as a vertical line, and it represents an instance of a class or an actor in the system.
- 2. Messages:** Messages indicate the communication between lifelines. They show the interactions and information flow between different components. Messages can be of various types, such as synchronous, asynchronous, or return messages.
- 3. Activation Boxes:** Activation boxes represent the period of time during which an object or component is performing a particular action or method call. They are depicted as a rectangular box along the lifeline and show the duration of an operation or method execution.
- 4. Conditions and Loops:** Sequence diagrams can also include conditions and loops to depict alternative flows or repeated actions. Conditions are represented by using a guard condition notation, such as "if" or "else," and loops are shown using iteration notations like "for" or "while."

Benefits of Sequence Diagrams:


- 1. Visualization of Interactions:** Sequence diagrams provide a visual representation of how different components or objects interact with each other during a particular scenario. This helps in understanding the order of message exchanges and the flow of actions in the system.
- 2. Communication Design:** Sequence diagrams assist in designing the communication and collaboration between various components or objects. They help identify the required interactions and ensure that the system functions as intended.
- 3. Requirement Analysis:** By analyzing sequence diagrams, stakeholders can validate and refine system requirements. They provide a clear overview of how different components work together and help identify potential bottlenecks or areas for improvement.

4. **Documentation:** Sequence diagrams serve as effective documentation artifacts that can be used to communicate system behavior to developers, designers, and other stakeholders. They capture the essential aspects of interactions and can aid in future maintenance and troubleshooting.

5. **Integration Testing:** Sequence diagrams can be used as a basis for designing and executing integration tests. By simulating the interactions shown in the sequence diagram, developers can verify that the components work together correctly and identify any integration issues.

Sequence diagrams are valuable tools for visualizing and understanding the interactions and message exchanges between components or objects in a system. They help in designing and communicating system behavior, analyzing requirements, and supporting integration testing. By using sequence diagrams, developers and stakeholders can gain insights into the system's dynamics and ensure effective collaboration and communication between different parts of the system. ^[12]

Sequence Diagram




3.12 Data Flow Diagram (DFD)

A Data Flow Diagram (DFD) for an online blood bank management system represents the flow of data between different components of the system. It provides a visual representation of how data moves through the system, from its sources to its destinations. Here is a brief description of the main components typically included in a DFD for an online blood bank management system:

1. **External Entities:** These represent the external entities interacting with the system. Examples include blood donors, medical facilities, and administrators. They are the sources or recipients of data within the system.
2. **Processes:** Processes represent the activities or functions performed within the system. They transform the incoming data into meaningful outputs. In the context of an online blood bank management system, processes can include user registration, blood donation management, inventory management, blood request processing, and reporting.
3. **Data Flows:** Data flows represent the movement of data between external entities and processes. They show how data is passed from one entity or process to another. Examples of data flows in an online blood bank management system can include donor information, blood unit details, blood request information, and report outputs.
4. **Data Stores:** Data stores represent the repositories where data is stored within the system. In the context of a blood bank management system, data stores can include donor databases, blood unit inventories, and request records.
5. **Data Transformations:** Data transformations represent the processes that manipulate or modify the data. For example, data transformations can include filtering donor information, updating blood inventory levels, matching blood requests with available units, and generating reports.
6. **Data Flow Diagram Levels:** DFDs can be represented at different levels of detail. The initial high-level DFD provides an overview of the system's major processes and data flows. It can be further decomposed into lower-level DFDs, where processes and data flows are broken down into more detailed sub-processes and data elements.


It's important to note that the specific components and data flows may vary depending on the requirements and functionality of the online blood bank management system being designed. The DFD provides a visual representation to understand the flow of data within the system, facilitating the analysis, design, and implementation of the system's data structure and interactions. [12]

DFD Diagram Level 0



Data Flow Diagram Level 0

DFD Diagram Level 1



Data Flow Diagram Level 2

.13 Use Case Model:

- The unified modeling language allows the software engineer to express an analysis model using the modeling notation that is governed by a set of syntactic semantic and pragmatic rules.
- A UML system is represented using five different views that describe the system from distinctly different perspective. Each view is defined by a set of diagrams, which is as follows.
- User Model View
- This view represents the system from the user's perspective.
- The analysis representation describes a usage scenario from the end-user's perspective.

Structural model view

- In this model the data and functionality are arrived from inside the system.
- This model view models the static structures.

Behavioral model view

It represents the dynamic of behavioral as parts of the system, depicting the interactions of collection between various structural elements described in the user model and structural model view.

Implementation Model View

In this the structural and behavioral as parts of the system are represented as they are to be built.

Environmental Model View

In these the structural and behavioral aspects of the environment in which the system is to be implemented are represented.

UML is specifically constructed through two different domains they are

- UML Analysis modeling, which focuses on the user model and structural model views of the system.
- UML design modeling, which focuses on the behavioral modeling, implementation modeling and environmental model views.


Use case Diagrams represent the functionality of the system from a user's point of view.

Use cases are used during requirements elicitation and analysis to represent the functionality of the system. Use cases focus on the behavior of the system from external

point of view.

Actors are external entities that interact with the system. Examples of actors include users like administrator, bank customer ...etc., or another system like central database[12]

Use Case Diagram



CHAPTER 4

Source Code


and

Implementation

4.1 Source Code

The source code of a project refers to the set of human-readable instructions and statements written in a programming language that make up a computer program or application. This source code is what developers create to instruct a computer on how to perform specific tasks and functions within a software project.

Source code is typically composed of text-based instructions and can be written in various programming languages such as Python, Java, C++, JavaScript, and many others, depending on the technology stack and requirements of the project,



```
127 <!-- Featured_job_start -->
128 <section class="featured-job-area">
129   <div class="container">
130     <!-- single-job-content -->
131     @foreach ($datas as $data)
132       <div class="single-job-items mb-30" style="border: 1px solid #lightgrey; padding: 25px 25px;">
133         <div class="job-items">
134           <div class="company-ling">
135             <a class="generic-btn primary-border" style="padding: 8px 12px;margin: 0 10px; color: #1f2b7b;
136               font-size: 30px">
137               {{ $data->relation_to_blood->blood_group }}
138             </a>
139             <p style="text-align:center;color: #1f2b7b;"><small>NEEDED</small></p>
140           </div>
141           <div class="job-tittle job-tittle2">
142             <a>
143               <h4>{{ $data->quantity }} bags ({{ $data->element_type != 0 ?
144                 $data->relation_to_blood_element->element_type : "Blood" }})</h4>
145             </a>
146             <ul>
147               <li style="color: red">Donation needed: {{ Carbon::parse($data->blood_require_time)
148                 ->diffForHumans() }}</li>
149               <li><i class="fas fa-map-marker-alt"></i>{{ $data->relation_to_city->name }}</li>
150             </ul>
151           </div>
152         </div>
153         <div class="items-link items-link2 f-right">
154           @auth
155             @if (Auth::user()->email_verified_at != NULL)
156               <a type="button" id="redhvr" class="btn btn-primary" style="padding: 1.2rem 25px;border-color: #fb246a;
157                 color: #ffff" data-toggle="modal" data-target="#{{ $data->id }}">
158                 DETAILS
159               </a>
160             @else
161               <a type="button" class="btn btn-primary" style="padding: 1.2rem 25px;border-color: #fb246a;color: #ffff"
162                 href="{{ route('profile_view',Auth::id()) }}">DETAILS</a>
163             </if>
164           </div>
165         </div>
166       </div>
167     @endforeach
168   </div>
169 </section>
170 </div>
```

```
File Edit Selection View Go Run Terminal Help  
BBMS  
BloodRequestController.php M X  
app > Http > Controllers > BloodRequestController.php  
20  
21 class BloodRequestController extends Controller  
22 {  
23     public function index()  
24     {  
25         $bloods = Blood::all();  
26         $elements = Blood_Element::all();  
27         $divisions = Division::all();  
28         $cities = District::where('division_id', 6)->get();  
29         return view('front_end.feature.blood_req', compact('bloods', 'elements', 'cities'));  
30     }  
31  
32  
33     // blood require request function  
34  
35     public function request_post(Request $request)  
36     {  
37  
38  
39  
40         $users = User::where('blood_id', $request->blood_group)->get();  
41         $request->validate([  
42             // health information  
43             'gender' => 'required|string',  
44             'email' => 'required|string|email|max:255',  
45             'phone' => 'required|numeric|regex:/^(01)[0-9]{9}$/',  
46  
47             // health information  
48             'sickness' => 'required|string|max:255',  
49             'p_age' => 'required|numeric',  
50             'blood_group' => 'required|numeric',  
51             'blood_element' => 'numeric',  
52             'quantity' => 'required|numeric',  
53             'require_time' => 'required|date|date_format:Y-m-d|TH:i||after:yesterday',  
54  
55             'city' => 'required|numeric',  
56             'address' => 'required|string',  
57         ]);  
58     }  
59 }  
Ln 273, Col 70 Spaces: 4 UTF-8 LF PHP
```

```

File Edit Selection View Go Run Terminal Help
BBMS
EXPLOSER
resources > views > front_end > feature > donate_req_update.blade.php
17 </div>
18 <!-- Hero Area End -->
19 <!-- request start -->
20 <section class="featured-job-area feature-padding" style="padding-top: 100px">
21 <div class="container">
22
23 <div class="row justify-content-center">
24
25
26 <div class="col-md-9 ">
27 <!-- single-request-content -->
28 <div class="single-job-items mb-30" style="border: 1px solid lightgrey; border-radius: 25px;">
29
30 <div class="job-items">
31 <div class="company-ing">
32 <a href="job_details.html"></a>
33 </div>
34
35 <div class="job-tittle">
36 <h3 style="color: red">{{ $data->relation_to_blood->blood_group }} <strong style="font-siz
37
38 <br>
39
40 <h6> Bags: {{ $data->quantity }} | Time: {{ Carbon\Carbon::parse($data->blood_require_time
41
42 <ul>
43 <li style="color: black">Element Needed: {{ $data->relation_to_blood_element->element_ty
44 <li style="color: black">Sickness: {{ $data->recipient_sickness }}</li>
45 <li style="color: black"><i class="fas fa-map-marker-alt">/i>City: {{ $data->relation_t
46 <li style="color: black">Contact: {{ $data->recipient_phone }}</li>
47 </ul>
48
49 <p>
50 <i class="fas fa-map-marker-alt text-danger" style="padding-right: 10px">/i> {{ $data->re
51 </p>
52
53 </div>
54 </div>

```

Ln 11, Col 52 (11 selected) Spaces 4 UTF-8 CRLF Blade

File Edit Selection View Go Run Terminal Help

home.blade.php X blood_req.blade.php

resources > views > home.blade.php > div.job-listing-area.pt-120.pb-120 > div.container

```

28
29 <!-- donation request List Area Start -->
30 <div class="job-listing-area pt-120 pb-120">
31   <div class="container">
32     <div class="row">
33       <!-- Right content -->
34       <div class="col-xl-8 col-lg-8 col-md-10 m-auto">
35         <!-- Featured job start -->
36         <section class="featured-job-area">
37           <div class="container">
38
39             @foreach ($datas as $data)
40               <div class="single-job-items mb-30" style="border: 1px solid lightgrey; padding: 25px 25px;">
41                 <div class="job-items">
42                   <div class="company-ing">
43                     <a class="generic-btn primary-border" style="padding: 8px 12px;margin: 0 10px; color: #1f2b7b;">
44                       {{{ $data->relation_to_blood->blood_group }}}
45                     </a>
46                     <p style="text-align:center;color: #1f2b7b;"><small>NEEDED</small></p>
47                   </div>
48                   <div class="job-tittle job-tittle2">
49                     <a>
50                       <h4>{{{ $data->quantity }}} bags {{{ $data->element_type != 0 ? $data->relation_to_blood
51                     </a>
52                     <ul>
53                       <li>Blood needed: {{ Carbon\Carbon::parse($data->blood_require_time)->diffForHumans()
54                       <li><i class="fas fa-map-marker-alt"></i>{{{ $data->relation_to_city->name }}}</li>
55                     </ul>
56                   </div>
57                 </div>
58                 <div class="items-link items-link2 f-right">
59                   @auth
60                   @if (Auth::user()->email_verified_at != NULL)
61                     <a type="button" id="redivr" class="btn btn-primary" style="padding: 1.2rem 25px;border-color
62                     DETAILS
63                   </a>
64                   @else
65                     <a type="button" class="btn btn-primary" style="padding: 1.2rem 25px;border-color: #fb246a;c

```

Ln 31, Col 32 Spaces 4 UTF-8 LF Blade

File Edit Selection View Go Run Terminal Help

BBMS

home.blade.php blood_req.blade.php X

resources > views > front_end > feature > blood_req.blade.php > div.container > div.row.justify-content-center > div.col-md-12 > div.card

```

1 @extends('front_end.app_auth')
2 @section('main')
3 <div class="container" style="margin-top: 5rem; margin-bottom: 5rem;">
4   <div class="row justify-content-center">
5     <div class="col-md-12">
6       <div class="card">
7
8         @foreach ($errors->all() as $error)
9           {{ $error }}
10        @endforeach
11        <div class="card-body">
12
13          {{-- PERSONAL INFORMATION STARTS --}}
14          <div class="card-header text-center" style="background-color: rgba(0,0,0,0.09); font-weight:bold">{{ __('Patient
15
16          <form method="POST" action="{{ route('request_post') }}">
17            @csrf
18
19
20            {{-- row 1 --}}
21            <div class="row mb-3 mt-30">
22              {{-- sickness --}}
23              <div class="col-md-6">
24                <label for="sickness" class="col-form-label text-md-end">{{ __('Write about Patient Sickness') }}</la
25
26                <div class="">
27                  <input id="quantity" type="text" class="form-control @error('sickness') is-invalid @enderror" name
28
29                  @error('sickness')
30                    <span class="invalid-feedback" role="alert">
31                      <strong>{{ $message }}</strong>
32                    </span>
33                  @enderror
34                </div>
35              </div>
36            </div>
37
38            {{-- gender --}}

```

master 0 0

Ln 8, Col 52 Spaces: 4 UTF-8 LF Blade


```
11  
12  
13  
14 public function donor_list_view()  
15 {  
16     $cities = District::all();  
17     $bloods = Blood::all();  
18     $donors = User::orderBy('avail_to_donate','desc')->paginate(15);  
19     return view('front_end.feature.donor_lists',compact('donors','bloods','cities'));  
20 }  
21  
22  
23 public function filter_donor(Request $request)  
24 {  
25  
26     $cities = District::all();  
27     $bloods = Blood::all();  
28     if($request->blood == NULL && $request->city == NULL){  
29  
30         return redirect()->route('donor_list_view')->with('error', 'Select a option to filter.');31  
32     }elseif($request->blood != NULL && $request->city != NULL){  
33  
34         $blood_id = $request->blood;  
35         $city_id = $request->city;  
36  
37         $donors = User::where('blood_id',$blood_id)->where('city_id',$city_id)->orderBy('avail_to_donate','desc')->paginate(10);  
38         return view('front_end.feature.donor_lists',compact('donors','bloods','cities'))->with('success', 'Showing results of filt  
39  
40     }elseif($request->blood != NULL)  
41     {  
42         $blood_id = $request->blood;  
43         $donors = User::where('blood_id','=',$blood_id)->orderBy('avail_to_donate','desc')->paginate(10);  
44  
45         return view('front_end.feature.donor_lists',compact('donors','bloods','cities'))->with('success', 'Showing results of  
46  
47  
48
```

4.2 Implementetion

Implementation refers to the phase in which the planned activities and strategies are put into action to execute the project plan. It involves turning the project's design, specifications, and plans into a functional and tangible result. Implementation is a critical step in the project lifecycle and typically follows the planning and design phases.




Fig: Homepage




Fig: Donation Request Page

Blood Finder Home View Request Search Donor **Request Donation** Account

Your Current Request

Name:	Admin Rahman
Donor:	Male 21 Yrs
Blood Group:	"O+"
Donated:	0 Times
Last Donate:	19/05/2023
Availability:	Available
Location:	Comilla
Address:	Address
Contact:	01521261442

Health Information

Health: Normal
 Diabetes: Normal
 Blood Pressure: Normal
 Checkup Report: 1.Png

[Edit Info](#)

O+	3 bags (RED BLOOD CELL)	Donation Received	DETAILS
O-	5 bags (RED BLOOD CELL)	Donation Received	DETAILS
O-	2 bags (RED BLOOD CELL)	Donation Received	DETAILS
O-	2 bags (RED BLOOD CELL)	Donation Received	DETAILS
A-	3 bags (PLATELETS)	Donation Received	DETAILS

Fig: Profile Page

Blood Finder Home View Request Search Donor **Request Donation** Account

Blood Group
 Select any
Filter by Location
 Select any
[Filter](#)

<p>Admin rahman</p> <p>Blood Group: O+</p> <p>Donated: 0 times</p> <p>City: Comilla</p> <p>Availability: Available</p> <p>Login For Details</p>	<p>Junior Hill</p> <p>Blood Group: O+</p> <p>Donated: 1 times</p> <p>City: Natore</p> <p>Availability: Available</p> <p>Login For Details</p>	<p>Margaret Lawson</p> <p>Blood Group: O+</p> <p>Donated: 0 times</p> <p>City: Dhaka</p> <p>Availability: Available</p> <p>Login For Details</p>
<p>poly bhoumik</p> <p>Blood Group: O-</p> <p>Donated: 0 times</p> <p>City: Dhaka</p> <p>Availability: Available</p>	<p>Lucy Legros</p> <p>Blood Group: O+</p> <p>Donated: 8 times</p> <p>City: Sirajganj</p> <p>Availability: Not Available</p>	<p>Monte Stracke</p> <p>Blood Group: O-</p> <p>Donated: 0 times</p> <p>City: Coxsbazar</p> <p>Availability: Not Available</p>

[↑](#)

Fig: Donor List

Patient Information

Write about Patient Sickness* Gender* Age*

Choose any

Blood Group* Blood Element No. of Bags* When Needed*

Choose blood group Choose any element mm/dd/yyyy --:-- --

Donation Address Information

Email Address* Phone Number* City*

riduanurofficial@gmail.com 01521261442 --Select Any--

Write your address in details* (hospital / area / road etc)

Fig: Donation Request FormPage

Home
View Request
Search Donor
Request Donation
Account

"O-" blood needed

Bags: 3 | Time: 1 week ago

Element Needed: ANTIBODIES Sickness: malaria City: Dhaka Contact: 01521261442

📍 medical college

Donor Accepted

Donors who accepted request

Lucy Legros - "O+"

46737 Mercedes Highway 01500012504 1 second ago Details

Fig: Donation Details Page

CHAPTER 5

CONCLUSION

5.1 CONCLUSION

In conclusion, the development of an online blood bank management system brings numerous benefits and potential improvements to the management of blood banks. The system's benefits include: The online blood bank management system streamlines processes, automates tasks, and reduces manual paperwork, resulting in increased operational efficiency. It allows for quick and easy access to donor information, blood inventory status, and facilitates faster response to blood requests. The system enables efficient donor registration, tracking, and communication. It simplifies the appointment scheduling process and sends timely reminders to donors, promoting regular donations and ensuring a steady supply of blood units. With the system's capability to track blood inventory in real-time, blood banks can better manage their stock levels, reduce wastage, and ensure optimal utilization of available blood units. This leads to improved inventory management and cost savings. The system facilitates the matching of blood types and compatibility, ensuring that the right blood units are allocated to requests promptly. This feature saves valuable time, especially in emergency situations where the timely availability of blood can be critical. The system generates reports and provides analytics on donor statistics, blood utilization, and inventory levels. These insights enable data-driven decision-making, resource planning, and identification of trends or areas for improvement. The system promotes effective communication and collaboration among blood donors, medical facilities, and administrators. It allows for seamless exchange of information, timely notifications, and alerts, improving overall coordination and ensuring smooth operation of the blood bank.

Despite its benefits, the online blood bank management system has certain limitations, which should be considered:

1. **Technical Requirements:** The system's implementation requires technical infrastructure, including servers, hosting, and reliable internet connectivity. Ensuring these requirements are met may involve additional costs and resources.
2. **Training and Adoption:** Proper training and education are crucial to ensure smooth adoption of the system by blood bank staff. Resistance to change or lack of familiarity with the technology can hinder the system's effectiveness.
3. **Data Security and Privacy:** Protecting sensitive donor information, complying with data privacy regulations, and implementing robust security measures are essential considerations. Failure to address these concerns adequately can lead to data breaches and loss of public trust.
4. **System Maintenance:** Ongoing maintenance and updates are necessary to ensure the system remains secure, functional, and up-to-date. This requires dedicated resources and continuous support.

In conclusion, the online blood bank management system offers numerous benefits, such as improved efficiency, enhanced donor management, real-time inventory tracking, quick blood matching, reporting capabilities, and improved communication. However, it is important to address the system's limitations, including technical requirements, training, data security, privacy, and maintenance, to maximize its potential and ensure its long-term success.

5.2 BUSINESS PROSPECTS

The business prospect of a blood bank management system can be quite promising, considering the critical role blood banks play in healthcare systems. Here are some key factors that contribute to the business potential of a blood bank management system:

1. Demand for Blood Management Systems: Blood banks are vital for hospitals, medical facilities, and emergency services. An efficient blood bank management system can streamline operations, improve inventory management, and ensure the timely availability of blood products. There is a growing demand for technology solutions that enhance the overall efficiency and effectiveness of blood banks.

2. Improved Efficiency and Accuracy: A robust blood bank management system can automate various tasks, such as blood donor registration, inventory management, blood testing, cross-matching, and tracking blood product distribution. This automation reduces manual errors, improves data accuracy, and enhances operational efficiency. Hospitals and blood banks are increasingly adopting such systems to optimize their processes.

3. Regulatory Compliance: Blood bank operations are subject to strict regulatory standards and guidelines to ensure the safety and quality of blood products. A comprehensive blood bank management system can help meet these compliance requirements by tracking and documenting the entire lifecycle of blood units, including donor screening, testing, storage, and distribution. Compliance with regulations is a critical factor for blood banks, making a reliable management system highly valuable.

4. Donor Relationship Management: Blood banks rely on blood donations from individuals and organizations. A blood bank management system can assist in maintaining a database of donors, tracking their donation history, sending reminders for future donations, and managing communication with donors. Building strong relationships with donors can lead to a steady supply of blood and foster a sense of community involvement.

5. Data Analytics and Reporting: An advanced blood bank management system can provide real-time data analytics and reporting capabilities. By analyzing data on blood utilization, inventory levels, donor demographics, and trends, blood banks can make informed decisions to optimize their operations, anticipate demand, and reduce wastage. Data-driven insights are valuable for improving resource allocation and enhancing overall performance.

6. Integration with Healthcare Systems: Integration of a blood bank management system with hospital information systems and electronic health records can streamline workflows and improve patient care. Seamless data exchange between systems ensures accurate and timely information sharing, reduces duplication of effort, and enhances coordination among healthcare professionals.

7. Future Expansion and Scalability: As healthcare systems evolve, the demand for integrated solutions and interoperability between different systems continues to grow. A blood bank management system with the flexibility to adapt to changing requirements and integrate with other healthcare technologies positions itself well for future expansion and scalability.

It's important to note that the success of a blood bank management system business also depends on factors such as market competition, pricing strategy, marketing efforts, and the quality of the product and service provided. Conducting thorough market research and understanding the specific needs of blood banks in your target market will be essential to develop a competitive advantage and maximize the business prospect of your blood bank management system

REFERENCE

1. K. M. A. Ali, I. Jahan, Md. A. Islam, et al.,” Blood Donation Management System by Institute of Information Technology, American Journal of Engineering Research,” vol. 4, no. 6, pp.123-136, 2015.
2. SDLC 3.0: Beyond a Tacit Understanding of Agile: Towards the Next Generation of Software Engineering: Volume 1 Paperback – 18 Jan. 2010
3. Polack, Jennifer (December 2009). "Planning a CIS Education Within a CS Framework". Journal of Computing Sciences in Colleges 25 (2): 100–106. ISSN 1937-4771.
4. Tutorial on semi-structured data by Peter Beneman from Symposium on Principles of Database System, 1997
5. Database System Concepts by Silberschatz, Korth and Sudarshan.
6. PHP (programming language) retrieved date: [13, January, 2023], online available at <https://en.wikipedia.org/wiki/PHP>
7. PHP Documentation), retrieved date: [6, March, 2023], online available at <https://www.php.net/docs.php>
8. JavaScript Documentation, retrieved date: [15, February, 2023], online available at <https://developer.mozilla.org/en-US/docs/Web/JavaScript>
9. HTML Documentation at <https://www.w3schools.com/html/>
10. Laravel (PHP Framework) Documentation at <https://laravel.com/docs/10.x/readme>
11. Image (Laravel Package) documentation at <https://image.intervention.io/v2/introduction/installation>
12. For diagrams <https://www.lucidchart.com/pages/tutorial/workflow-diagram>